

GREENLINE | 39

DISCOVER A NEW SENSE OF FREEDOM



Aft camera available



Stepping on board the Greenline 39 you cannot help but be amazed by the feeling of space. The key elements of Greenline design are all there - the 360° panoramic view in the salon, the aft galley, electric fold-down transom and the spacious layout which all come together to create one of the most sociable and relaxing boats on the market today.


Step on board the Greenline 39 and discover a new sense of freedom.



Opening bathing platform








 Comfortable

 sunbathing area



360° panoramic

 view in the salon







 Open galley





Adaptive owner's cabin



Bathroom with a separate shower accessible from owner's cabin and salon

Superb guest cabin

GL 39




MAIN DECK



LOWER DECK



SIDE VIEW



TECHNICAL SPECIFICATIONS

All Greenline Yachts come ready for you to enjoy. Greenline High Standard Package includes solar roof, 7,2 kWh service battery, 3kW inverter to ensure 230/110V AC power onboard at all times, electric anchor windlass, bow thruster and much more.

For more details, please check our online configurator at www.greenlinehybrid.com



| Standard Dimensions | | |
|-------------------------------------|--------------|------------|
| Length overall | 11,99 m | 39'5" |
| Hull length | 11,40 m | 37'5" |
| Beam | 3,75 m | 12'4" |
| Bridge clearance min. | 3,16 m | 10'36" |
| Draft empty | 0,90 m | 2'11" |
| Displacement empty | 7.000 kg | 15.432 lbs |
| Cabins | 2 + salon | |
| Max. Berths | 4 + 2 opt. | |
| Toilets/washrooms | 1 | |
| Diesel tank | 700 l | 184,2 gal |
| Water tank | 400 l | 105,67 gal |
| Black water tank | 80 l | 21 gal |
| Diesel engines max speed* | | |
| 220 hp | 18 kts | |
| 370 hp | 25 kts | |
| Diesel max range @ 7kts | 1000 Nm | |
| Electric propulsion | 14 kW | |
| Generator | 10 kW | |
| Electric max speed | 6,5 kts | |
| Electric cruising speed | 5 kts | |
| Electric sailing range | up to 30 Nm | |
| H-Drive battery capacity (Li-Po) | 13,3 or 26,6 | |
| Solar panels standard | 1200 W | |
| Battery capacity standard (AGM) 12V | 7,2 kWh | |
| CE cat. | B | |
| Design | J&J Design | |

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.
** Depending on selected equipment and propulsion.
*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts.
For more information and detailed standard specifications please contact your local dealer.

Large battery pack as standard

Solar panels as standard

Single level living space

Bow anchor with electric windlass

Volvo Penta or Yanmar engine

Silent eco-navigation

Sheltered cockpit and sidewalks

City water connection

230/120V AC power at all times

Adaptive owner's cabin

Aft camera available

Twin-access, high-volume bathroom

Open galley

Natural light and 360° panoramic view in the salon

Opening bathing platform

Cockpit side exit

Cockpit storage

Bathroom with a separate shower accessible from owner's cabin and salon