

GREENLINE | 48 FLY

DISCOVER A NEW LEVEL OF COMFORT



Traditional side anchor or optional bow anchor

The flagship of the Greenline family, the Greenline 48 offers a host of innovative features to set her apart from the competition.

Designed for long-range cruising, with a new interior design, 3rd Generation Hybrid system, luxurious flybridge, hydraulic platform, utility compartment and much more, the Greenline 48 is designed to go the distance.



Hydraulic bathing platform



Comfortable sunbathing area





Flybridge with U-shaped settee and sun lounge



360° panoramic view in the salon



Open galley



Wetbar with barbecue, icemaker and fridge





Wider and larger owner's cabin



Two luxurious en-suite guest cabins




Separate owner's toilet and shower



GL 48 FLY



FLYBRIDGE



MAIN DECK



LOWER DECK A*



LOWER DECK B*



*Optional skipper cabin for both version of lower deck (A and B)



Silent eco-performance



Sun lounge with shade on foredeck



Two luxurious guest cabins with own bathroom



Wider and larger owner's cabin



Wide and spacious cockpit



Optional hydraulic platform



Sheltered sidedecks



360° panoramic view in the salon



Comfortable access to flybridge



Utility compartment under salon



Flybridge with U-shaped settee, sun lounge and wetbar with barbecue, icemaker and fridge



Traditional side anchor or optional bow anchor with bow sprit



Open galley



Separate owner's toilet and shower



230/120V AC power at all times



Cockpit storage



Solar panels as standard

TECHNICAL SPECIFICATIONS

All Greenline Yachts come ready for you to enjoy. Greenline High Standard Package includes solar roof, 7,2 kWh service battery, 3kW inverter to ensure 230/110V AC power onboard at all times, electric anchor windlass, bow thruster and much more.

For more details, please check our online configurator at www.greenlinehybrid.com



Standard Dimensions

Hull overall	14,99 m	49'2"
Length overall	14,37 m	47'2"
Beam	4,80 m	15'8"
Bridge clearance min.	4,10 m	13'45"
Draft empty	0,98 m	3'01"
Displacement empty	13.800 kg appr.	30.423 lbs
Cabins	3 (opt. 4 skip)	
Max. Berths	6 + 2 salon + 1	
Toilets/washrooms	3 (opt. 4skip)	
Diesel tank	1.500 l	396 gal
Water tank	660 l	174 gal
Black water tank	2x80 l	2x21 gal

Diesel engines max speed*

2 x 220 hp	16 kts
2 x 320 hp	20 kts
2 x 380 hp	25 kts
2 x 480 hp	29 kts
Diesel max range @ 7kts	900 Nm

Electric propulsion	2x14 kW
Generator	2x10 kW
Electric max speed	6,5 kts
Electric cruising speed	5 kts
Electric sailing range	up to 30 Nm
H-Drive Battery capacity optional	40 or 80 kWh

Solar panels	600 W (+ 1,2 kW TT)
Battery capacity standard (AGM) 12V	7,2 kWh
CE cat.	B
Design	J&J Design

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts.

For more information and detailed standard specifications please contact your local dealer.