DISCOVERY
SHIPYARD

DISCOVERY / SOUTHERLY 57

SAILAWAY PRICE £1,475,000 EX VAT

Southerly - Raised saloon blue water cruisers with unparalleled versatility and performance

Very deep high aspect keels that swing away for shallow water access, very stable with stunning sailing ability

DISCOVERY
SHIPYARD



PROFILE



CENTER LINE SECTION

DISCOVERY
SHIPYARD



DECK PLAN

GALLEY OPTION 1



ACCOMMODATION PLAN

GALLEY OPTION 2





DESIGN	DISCOVERY 57
TITLE	GENERAL ARRANGEMENT
DATE	17/02/2020
SCALE	1:40 @ A1
DRG NO	Enq832 MGA
COMP REF	Enq832 MGA

Issue | Date | Name | By

Do Not Scale | If in doubt consult the Designer

Copyright Design Right and all other intellectual property rights in the designs belong to Angus S. Primrose Ltd (trading as Dixon Yacht Design) and is confidential. It must not be used for manufacture or copied or communicated to any other person without the express permission of Dixon Yacht Design.

DIXON YACHT DESIGN
t: +44 (0) 1489 572337
e: info@dixonyachtdesign.com
w: www.dixonyachtdesign.com
16 The Boatyard, Swanwick Marina, Swanwick, Southampton, SO31 7ZL, United Kingdom

STANDARD OPTIONS

HULL

Heavy duty GRP moulding, hand laid up to Discovery's precise laminating system incorporating multi-axial and unidirectional reinforcements. Thickness increases progressively towards the keel area. The keel box is an integral part of the hull lay-up and sandwich construction stiffening runs the entire length of the hull topsides. All main bulkheads are bonded into the hull at main lay-upstage. 1 year manufacturers warranty - 5 year hull guarantee against osmosis

Standard colour, White

Caveta Line gelcoat, option

Boot top gelcoat. Single or twin option.

Clear gelcoat under waterline with 2 coats of epoxy undercoat ready for clients specified antifouling option or replaced with copper coat option.

Substantial skeg fitted on centreline to protect propeller. Skeg can accommodate stern thruster (option)

The variable draft keel is a solid cast iron aerofoil fin, pivoted in the grounding plate and raised by a hydraulic hoist which enables the keel to be set at intermediate points or fully retracted into the hull, at the touch of a button. The fixed ballast is an iron casting which acts as a grounding plate and as transverse and longitudinal stiffening member for the assembly. The fixed ballast casting is fitted into a recess in the hull and secured with multiple stainless steel bolts. All hydraulics are easily accessible for maintenance. Keep control and position indicator panel located at helm station.

DECK

Hand laid up GRP sandwich type construction using foam core stiffening, with plywood in high stress areas where fittings are positioned. Heavily stressed areas are additionally reinforced with unidirectional glass reinforcement. The deck is bonded to the hull through the entire length and to all main bulkheads resulting in a strong and integrated unit.

Standard colour, White

Discovery inspired true deck saloon

Teak laid deck to side decks and cockpit

Self draining cockpit

Deck shower with hot/cold water mounted on transom

Foredeck sail locker

DECK EQUIPMENT

Cleats & fairleads (2x fore, 4x midships, 2x aft)

Mainsheet aft of cockpit or on optional arch (arch recommended)

Stainless steel pulpit incorporating navigation light bracket with swing up teak dolphin watching seats to port and starboard

Stainless steel stanchions and guardwires with gates port and starboard

Stainless steel pushpit incorporating stern gate, navigation light bracket and ensign socket with teak sundowner seats to port and starboard

Stern bathing ladder (bathing platform option available)

Ventilator fixed on deck x3

Toughen saloon windows and laminated hull ports are tinted toughened glass, bonded into recesses in GRP mouldings.

Fuel and water deck fillers with pump out for holding tank

Rope clutches on coachroof for running rigging

50EST Harken electric winch at companionway

55EST Harken winches at helm for mainsheet and jib x2

65 Harken genoa winches x2

Steering compass x2

Gas bottle storage in deck locker port side (1 x 6kg bottle supplied)

Lazarette lockers to port and starboard

Stainless steel grab handles on coachroof

COCKPIT

Mid cockpit with twin helm

Cockpit table with folding leaves, stowage and hand rail

42" stainless steel wheel covered in hide

Sliding hatch, removable washboard, stowage

Winch handle pockets x2

Safety harness eyes x4

Instrument consoles at helm

RIG

Anodised aluminium twin spreader mast (including spreaders lights up) and boom with electric in-mast reefing and solid sprung boom vang. Internal halyards. Twin forestays (solent rig) with electric furling gear. Stainless 1X19 wire rigging. 2 x Lewmar size 45ST EVO CHROME winches on mast. Slab reefing system with single line reefing (available as no-cost option). Double VPS system with tracks, cars, stowage system and 2 x XAS clutches (whisker pole not included).

Radar reflector fitted on the mast

Burgee and signal halyard

SAILS

Vectron furling mainsail, short vertical battens. Vectron self-tacking furling jib. Lightweight Vectron genoa. White UV protection on headsails. By Sanders Sails.

Anchoring

Stainless steel stemhead fitting with twin bow rollers

Lewmar V4 windlass

40kg Delta anchor, 60 metres of chain

ENGINEERING EQUIPMENT

Yanmar 150 Hp 4 cylinder, fresh water cooled, diesel (second alternator option)

Engine control single lever

Bronze water strainer with removable filter

Engine room fan

Non metallic fuel tanks, with sediment trap, selector manifold and inline filter

Fuel, water and holding tank gauge for quick and easy reference

Automatic fire extinguisher in engine space

110 amp alternator

Stern tube with water lubricated stern gland

Propeller (3 feathering blades)

Bow thruster with control at steering pedestal, dedicated battery and charger

Semi- balanced twin rudders and Lewmar mamba steering system with stainless steel propeller shaft

Emergency steering system

ELECTRICAL

Tinned wiring throughout

C-zone (standard 24V); digital Control & Monitoring

Standard battery bank - Service 12-2V gel cells 500AH @24v, Engine start = 100 Ah gel @ 12v

240V Ring main: includes 4 double outlet sockets, (saloon, galley, aft cabin & forward cabin) earth leak circuit breaker and connection cable (with plug for shore connection 32A) and 1Kw immersion heater fitted calorifier

Isolating switches

Circuit breakers on main panel

LED cabin lighting throughout

Reading lights over bunks

Chart light over navigation table

Lighting to rail in hanging lockers

Red night lights throughout

LED nav lights (Tri-colour, white anchor light, stern light, bow port and starboard lights)

Main switch panel

Shaver socket in each heads

PLUMBING

Two non-metallic fresh water tanks

Pressurised hot and cold fresh water

1Kw immersion heater fitted calorifier 60lt with Termostatic Mixing kit

Electric sump pumps to shower trays

Manual bilge pump

Aft & fwd heads holding tank. Toilet pumps to tank. Holding tank drains to sea with deck pump out

DOMESTIC SYSTEMS

Front loading stainless steel refrigerator (130 litre), keel cooling option available

Front loading freezer, keel cooling option available

Fully gimballed gas cooker with four burners, grill and oven (fail-safe devices on all burners) with cooker extractor hood

Gas shut off tap

INTERIOR & UPHOLSTERY

Light Oak, alternative woods option

Amtico flooring throughout in a wide variety of colours, different textures/effects

Work surfaces corian in a wide variety of colours and textures/effects in galley and heads

Saloon seating - Leather in a wide variety of colours, alternative material option

Aft cabin seating - selection of standard fabrics

Cabin berths - selection of standard fabrics (other options available)

Headlining - cream to all cabins, white to heads (other options available)

Sidelining - macadamia

GALLEY

Sink stainless steel with mixer tap - x2

Stainless steel grab rail in front of cooker

Chopping board sink cover

SALOON

Raised seating for eight to ten people providing panoramic views

Folding leaf table

NAV AREA

Raised, forward facing chart table with 270 *views

Chart stowage under hinged lid

OWNER'S CABIN

Large berth with pocket sprung mattress - (6") in two parts

Upholstered seat starboard

Wardrobes x2, corners x4

Vanity area

FORWARD CABIN

Large island berth

Wardrobes x2 (hanging and/or shelves) and large drawers under berth x2

PULLMAN CABIN

Berth single x 2

Hanging wardrobe x1, drawers x4, shelves x3

AFT EN-SUITE HEADS

Marine toilet electric (salt & fresh water)

Washbasin with Corian surround covered and mirror

Separate shower, hanging rail and glass door

FORWARD EN-SUITE HEADS

Marine toilet electric (salt & fresh water)

Washbasin with Corian surround covered and mirror

Separate shower, hanging rail and glass door

SAFETY PACK

Fire extinguishers

Fire blanket

Gas detector

Horseshoe lifebuoy: 1 x white with bracket & light

Jack stays: Port & starboard - webbing

Boat hook & ensign

Fenders & wraps

Safety ladder

E&OE. Valid until 30 June 2020. Prices are exclusive of VAT. All yachts are bespoke.

OPTIONS

HULL	
Hull colour, non standard	£7,645
Caveta (cove) line, any gelcoat colour	£385
Boot top gelcoat, narrow stripe, any colour	£385
Boot top gelcoat, wide stripe, any colour	£434
Copper coating Antifoul applied below waterline to hull and keel in lieu of standard antifoul	£6,820
Horizontal or vertical in hull portlight extra - 1 piece	£1,265
Bathing platform on transom, electric retracting	£17,325
Hull prep for SSB	£1,650
DECK	
Single forward-facing opening saloon windows	£6,270
Extra cleats x2	£434
Foredeck teak area extra	£8,195
Teak laid deck to side decks and cockpit - different colour of caulking (grey or white)	£2,695
Fold down ladder inside gates port and starboard	£5,500
Deck eyes, folding x2	£236
Davits: Stainless steel, electric. Note: Dinghy not included	£10,879
Arch, carbon reinforced composite with integrated mainsheet system and cockpit downlights	£10,725
Helm seats backrests with removable bolsters cushions	£4,180
Anchor wash, connected to salt water pump	£797
Deck wash, outlet in cockpit, connected to fresh water pump	£192
Windlass control on steering pedestal with anchor chain counter	£924
Wired Hand-Held Chain Remote	£324
Custom Steamhead modification (if anchor changed from standard)	POA
Calibrated chain extra 20m	£385
Fortress kedge anchor & chain (5m), anchor warp (50m) & bracket or a padded storage bag	£2,172
Upgrade winches to electric (standard chrome), additional manual or electric winches where possible	POA
Permanent gas supply with bayonet fitting for pushpit mounted BBQ (BBQ not included)	£682
RIG & SAILS	
Electric in-mast furling upgrade	£3,454
Electric furlers on both headsails in lieu of standard	£19,250
Hydraulic boom vang in lieu of standard rod kicker (vang)	£5,830
Whisker pole carbon - each	£6,600
Lightning Master fitted at masthead, mast step connected to small ground plane to provide lightning path	£550
Cockpit down lighting - white light fitted in underside of boom (not required with arch option)	£946
Climbing steps x2 on the mast - in addition to standard x3	£313
External preventor (port and stbd), padeyes & lines	£1,034
Insulated backstay for SSB	£1,006
Upgrade Sail Pack Hydranet radial woven sailcloth by Sanders Sails: Fully battened Hydranet radial mast furling mainsail, Hydranet radial self tacking furling jib, Hydranetfurling genoa in lieu of standard. UV protection on headsails white.	£14,630
Gennaker standard equipment as well as sheets, halyards, blocks & custom S/S attachments for Gennaker/Cruising Chute and stainless steel removable bowsprit (sail not included).	£6,435
Asymmetric cruising chute, Contender Maxilite, single colour and full radial design by Sanders sails (with launching bag)	£4,378
Asymmetric Snuffer (ATN Sleeve) by Sanders sails	£1,265
Full vertically battened Vectron mainsail in lieu of standard	£1,727
Glomex TV antenna at mainmast head (mandatory with TV option)	£726
COVERS & CANOPIES	
Built to owners individual specification. Can include sprayhood (dodger), bimini, cockpit enclosures, exterior cushions and equipment covers	POA
Saloon blinds external black, material Serge Ferrari Soltis 86	£1,562
Flyscreen blind for companionway entrance in Serge Ferrari Soltis 86 Mesh	£341
NAVIGATION & COMMUNICATIONS	
Fusion Apollo 770 Marine Entertainment System With Built-In WiFi for Apple AirPlay®, AM/FM, Bluetooth, USB, Glass Touchscreen Display, digital signal processing and connection to NMEA2000, USB & 3.5mm Aux Connector for mobile and iPod connectivity (please check compatibility), Pair of 6" Fusion speakers in saloon, Pair of 6" Fusion speakers in cockpit, Fusion remote control in cockpit	£1,045
Custom package of navigation/communication equipment supplied according to owner's individual specification. B&G or Raymarine instruments	POA
Transom pole for electronics (custom item designed with instruments equipment specification)	POA
TV packages supplied according to owner's individual specification for saloon and cabins. Can include sound wired through stereo system, LED Flat screen TV with built in Freeview and DVD player fitted to bulkhead (antenna & ring main required), cabins if possible, Additional Tuner/iPod interface including speakers per cabin. Glomex antenna to be choosen	POA
ENGINEERING & ELECTRICAL	
Power upgrade supplied according to owner's individual requirements. To include more gel cells for service, engine start, more sockets single & double, USB sockets, etc	POA
Lithium-Ion batteries pack (two batteries)	£11,550
Lithium-Ion batteries pack (three batteries) - recommended for electric cooker	£18,150

Mastervolt package supplied according to owner's individual specification	POA
Flexible Solar panels to be fitted to coachroof or bimini	POA
USA Specification - 110V, 60 HZ (Eight sockets); price starts from	£3,795
Additional outlet (double socket)	£225
Inside charger for mobile devices wireless - each	£148
USB socket inside - each	£225
USB socket outside on garage	£275
12 volt socket (suitable for high load applications such as a dinghy inflator) fitted in cockpit	£275
Underwater hull lights (white) x 2	£1,798
Lighting upgrade; spreader lights	£990
Lighting upgrade; LED cockpit ambient lighting	£979
Generator: 240v, 50Hz or 60Hz, 7KW	£14,278
Stern thruster, with control at steering pedestal	£12,045
Fan, foldaway electric (each)	£291
PLUMBING & DOMESTIC SYSTEMS OPTIONS	
Water tank in bow (Additional 200 ltrs approx.)	£2,739
Grey water holding tank installation with sensor and pump	£3,844
Bilge pump (manual) mounted below - second	£726
Seagull water filter	£1,254
Aquadrive for reduced engine vibration and noise	£5,995
Racor fuel filter	£1,398
Rope cutter on prop shaft	£1,237
Watermaker - 100 ltrs per hour, complete with auto and manual water rinsing. Flow meter, easy to operate control panel, engineered for long life.	£12,639
Heating with outlets in saloon, all cabins, heads & wet locker	£8,690
Air Conditioning in saloon and all cabins (standard layout)	£16,775
Keel cooling for fridge & freezer	£1,991
Microwave stainless steel 240 volt, 800 watts (for EU spec)	£852
Microwave stainless steel 120 volt 800 watts (for USA spec)	£1,072
Washing machine	£2,541
Dishwasher fitted in galley under sink	£2,183
Electric cooking option, Induction hob, a combi-oven gimbaled (please check additional requirements)	£3,960
INTERIOR	
Interior joinery built to owner's individual specification. Light Oak, Light Ash, Teak, Maple, Cherry and other wood	POA
Personalised marketry to doors & tables (crown cut, cross banding & inlay)	POA
Fiddle inlays - single, twin wood or corian in galley	POA
Forward cabin suite layout (Replacing Pullmans cabin)	£12,045
Strong box installed in any cabin	£590

Blinds package supplied to owner's individual specification. Can include blinds in saloon, cabins, heads.	POA
Upholstery package & headlining supplied to owners individual specification. Can include mattresses upgrades in each cabin, different types of upholstery materials and sidelining or headlining (standard headlining colour; cream in cabins, white in heads, standard sidelining macadamia).	POA
Lee cloth (standard size per berth, material Sunbrella Dune Brown). More options/sizes/colour available - Prices can vary	£291
Mirror - extra, where possible	POA
MISCELLANEOUS	
Name of boat including DSY design and fitting on transom (boom is not included)	£358
Liferaft: 6 man Ocean canister	£2,393
Liferaft: 8 man Ocean canister	£2,525
Universal liferaft cradle, fitted to pushpit	£423
Fender with sock - additional each	£82
Gas bottle - additional each	£44
Full set of moorning warps (Bow, stern & 2 x springs) - in addition to standard	£407
Horseshoe lifebuoy in addition to standard	£121
Engine spare kit	£330
Generator spare kit	£215

SAILAWAY PRICE TOTAL

£1,475,000.00 ex VAT

OPTIONS TOTAL

£

GRAND TOTAL

£

E&OE. Valid until 30 June 2020. Prices are exclusive of VAT. All yachts are bespoke.

DISCOVERY
SHIPYARD

Discovery Shipyard Limited

Discovery House
Lymington Yacht Haven,
Lymington,
Southampton,
England, SO40 4AF

sales@discoveryshipyard.com

+44 (0)23 8086 5555

www.discoveryyachtsgroup.com

For a life less ordinary