


General Equipment list - Europe







GENERAL SPECIFICATIONS_____

 Hull length: L.O.A (standard): L.O.A (Maximum - with options) Overall width: Beam: Light displacement without engine: Light displacement (EC): 	7,98m 8,26m 9,10m 2,98m 2,95m 3 801kg 4 439kg	26'2" 27'1" 29'10" 9'9" 9'8" 8,377 lbs 9,784 lbs
 Air draft: standard: with options: Draught min/max: Fuel capacity 	2,69m 3,30m 0,60 - 0,90m	8'10" 10'10" 2' - 2'11"
standard:optional extra:Freshwater capacity:Maximum engine power:	2 x 200L 2 x 300L 100L 2 x 186Kw -	2 x53 US Gal 2 x 79 US Gal 26 US Gal
Twin engine shaft length: XL	2 x 250 HP 635mm	2 x 250 HP 25'

ARCHITECTS / DESIGNERS _____

- Hull development: Bénéteau POWERBOATSDesigners: SARRAZIN DESIGN

EC CERTIFICATION _____

- Category B 4 peopleCategory C 10 people



General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Technology: Air Step[®]
- Patent: Bénéteau

Composition:

- Sandwich (Polyester resin Glass fiber Balsa core)
- · White hull

DFCK

Composition:

· Sandwich (Polyester resin - Glass fiber - Balsa core)

DECK EQUIPMENT_

- Navigation lights = 1 all-round light on collapsible samson post
- · Navigation lights (Port and starboard)

MOORING LINES - MOORING

- · Bow fitting
- · Self-bailing mooring locker with hatch cover
- · Eye bolt to secure mooring
- 2 Foredeck cleats in aluminium, 200 mm / 8"
- 2 Cleats amidships in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminium, 200 mm / 8"

SAFETY ON DECK

- · Stainless steel open pulpit
- 2 Stainless steel handrails on the aft wheelhouse uprights
- 1 Stainless steel handrail on the aft fishing station
- · 4 Stainless steel handrails on cockpit coamings

COCKPIT

Cockpit dimensions: 1,49m x 2,44m / 4'11" x 8'

Freeboard: 0,82m / 2'8"

- Self-bailing cockpit
- Fishing station with:
- Engine protective casing
- Folding cockpit bench seat (Upholstery supplied with the Comfort trim level)
- Handrails
- 1 Large central locker (Space for cased life-raft)
- 1 Port cockpit locker + 1 Starboard cockpit locker (Gas strut opening)
- Roto-moulded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler caps on stern deck
- · Portside access to sea
- Security door
- · Telescopic swimming ladder
- Lighting from 1 ceiling light
- Wide safe sidedecks (26-35 cm / 0'10" x 1'2")
- Benchseat in front of wheelhouse, with 2 Cup holders (Upholstery supplied with the Comfort trim level)
- · Cockpit shower

INTERIOR

- PVC Silvertex Ice + Diamante meteor upholstery:
 - Pilot and co-driver bench with bolster function
- Wheelhouse saloon
- Forward cabin mattress (optional extra: Mid-cabin mattress)
- Alpi grey cedar joinery
- · Brown oak laminated floors

WHEELHOUSE

Dimensions: 1,66 x 1,56m / 5'5" x 5'1"

Headroom: 1.95m / 6'5"

- · Wheelhouse with one-piece translucent glass windscreen
- · Side windows with translucent glass
- 2 Sliding side access doors for the wheelhouse (Port and starboard)
- Black anodised aluminium frame and lock
- Storage under the floor
- · 1 3 door sliding rear bay
- Lighting from 4 ceiling lights
- Saloon (Dimensions: 1,06 x 1,56m / 3'6" x 5'1")
- Storage space under seating
- Retractable saloon table
- · Access door to the wooden lower deck
- · Polyester access door cover

STEERING STATION (TO STARBOARD)

- · Hydraulic steering
- Instrument panel with space for 12" + 9" electronics
- 12 funtion 12 V electrical panel (depending on options)
- Fuel gauge indicator
- Engine instrumentation: Rev counter, Control console, Contact key delivered with pre rigging option
- · 2 Electric windscreen wipers
- 12V socket
- · Steering wheel
- · Pilot and co-driver bench with bolster function
- · Pilot and copilot footrest

GALLEY (TO PORT)

- · Polyester cover
- Polyester sink
- Cold water mixer tap under pressure (optional extra: Water heater - 25L)
- Fixed 1 hob cooker
- Fridge 60L (requires Comfort trim level)

FORWARD CABIN

Headroom: 1.65m / 4'11" (Minimum: 0.55m / 1'10")

- Location for additional double berth max: 2m / 6'7" (Beam) x 1,50m / 4'11" (Length)
- Shelving unit
- Storage under berth
- · Lighting from 2 ceiling lights

HEAD (STARBOARD)

Headroom: 1,70m / 5'7"

- Lighting from 1 ceiling light
- · Ventilation from 1 opening hull porthole
- Marine toilet with 80 L / 21 US Gal sewage tank
- Washbasin
- Shower
- · Storage cupboard

MID-CABIN

Headroom: 0,62m / 2'

- optional extra: Mattress for bedding (1,90 x 1,40m / 6'3" x 4'7")
- Shelving unit
- · Lighting from 1 ceiling light



General Equipment list - Europe

COMFORT

ELECTRICITY

- 12 V electrical panel
- 12V socket
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump
- · Pressured cold water
- · Water filling drain plug
- · optional extra: Water heater 25L

TRIM LEVEL & PACKS

TRIM LEVEL _____

	COMFORT	FISHING EDITION "BARRACUDA TOUR"	FISHING EDITION "BARRACUDA TOUR"
2nd electric wiper + windscreen washer kit			
 Silvertex Ice + Diamante Meteor unpholstery (Swivel aft bench seat + Forward saloon) 			•
• Cup holder			•
• Fridge			•
Cockpit shower	•		•
Cockpit table	•		•
Mattress in the cabin Interior synthing	•		•
• Interior curtains	•		•
Extended swim platform Cooker't table	•		•
Cockpit table Electric windlass	•		•
	•		•
Rod holders		•	•
Pump for deck washing		•	•
Cutting board on aft hatch cover		•	•
5 Stainless steel rod holders on the coachroof Charles and afficient action that is a family standard to the coachroof. Charles and afficient action to the coachroof.		•	•
Starboard after water circulation tank Dailbland life		•	•
Railblaza kit	1		■

l

I

ELECTRONICS PACKS _____

ELECTRONIC PACK

- LOWRANCE HDS 9" LIVE Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

ELECTRONIC UPGRADED PACK

- LOWRANCE HDS 12" LIVE Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

SOUND PACK

- Fusion MS-RA70N
- Interior speakers (2 x 50 W)
- Exterior speakers (2 x 50 W)



General Equipment list - Europe

OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- PVC Mid-cabin mattress Silvertex Ice + Diamante Meteor
- · Reversible air condition at dock
- · Water heater 25L
- · Electric heating on 220 V
- Diesel heating
- · Deck in wheelhouse

EXTERIOR OPTIONS

- · Complete mooring kit
- · Overhang stemhead with swimming ladder
- Mooring bollard
- Towing ring
- Polyester fish tub for cockpit chest
- 1 Sliding cockpit bench seat with cushion
- 2 Foldable side cockpit bench seats with cushion
- · Retractable cockpit sun cover
- Teak in cockpit + platforms
- · Blue-grey hull

ELECTRICAL SYSTEM_____

- · Electric demister
- 220 V electrical circuit with dock plug + charger
- · 4 KVA 220 V / 50 Hz Generator
- Interior + cockpit LED pack
- · Deck searchlight
- · 2nd deck searchlight

ENGINE

- · Bow thruster (battery not delivered)
- Electric trim tabs
- · ZipWake automatic trim system
- Fuel tank 2 x 300 L
- Honda mecanic top pre-rigging (2 x 115-250 HP)
- Suzuki mecanic keyless pre-rigging (2 x 115-250 HP)
- Suzuki electronic keyless pre-rigging (2 x 150-250 HP)
- Mercury mecanic top pre-rigging (2 x 150 HP)
- Pre-rigging Mercury Verado (2 x 150-250 HP)
- Yamaha mecanic top pre-rigging (2 x 150 HP)
- Yamaha electronic top pre-rigging (2 x 150-250 HP)

NAVIGATION ELECTRONICS

- VHF
- Broadband 4G Lowrance Radar